AD-757 066

EXPERIMENTAL STUDY OF THE COMPOSITE SOLID PROPELLANT DEFLAGRATION PROCESS ON A FUNDAMENTAL LEVEL

Robert F. McAlevy, III, et al

Stevens Institute of Technology

Prepared for:

Office of Naval Research

February 1973

DISTRIBUTED BY:



National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

STEVENS INSTITUTE OF TECHNOLOGY DEPARTMENT OF MECHANICAL ENGINEERING

REPORT NO. ME-RT-72008

FINAL REPORT

Contract N00014-67-A-0202-0023

"EXPERIMENTAL STUDY OF THE COMPOSITE SOLID PROPELLANT DEFLAGRATION PROCESS ON A FUNDAMENTAL LEVEL"

> This do and the hour sportingd for public relience and area; its distribution is unit triped.

For Period

1 October 1961 through 15 November 1972

SUBMITTED BY

Reproduced by NATIONAL TECHNICAL INFORMATION SERVICE U.S Department of Commerce Springfield VA 22151

Robert F. McAlevy, III

Professor of Mechanical Engineering

and Co-Principal Investigator

AND

Richard B. Cole

Assistant Professor of Mechanical Engineering and Co-Principal

Investigator

February 1973

UNCLASSIFIED

· Security Classification			the second section to the second			
	T CONTROL DATA -					
(Security classification of title, body of abstract and I. ORIGINATING ACTIVITY (Corporate author)	findexing annotation must		overall report is classified) ECURITY CLASSIFICATION			
Department of Mechanical Engineering						
Stevens Institute of Technolo	ду	26. GROUP	2b. GROUP			
Hoboken, Hew Jersey						
Experimental Study of the Com	monito Colid	Sman all lamb	2061			
Process on a Fundamental Leve		riobellant	Derragration			
TANKS WILL WILL WILLIAM TO THE STATE OF THE						
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			· · · · · · · · · · · · · · · · · · ·			
Final Report, covering period		61 through	15 November 1972			
5. AUTHORISI (First name, middle infile), lest name)						
Robert F. McAlevy, III Richard B. Cole						
Kichara S. Cole						
6. REPORT DATE	78. TOTAL NO		TO. NO. OF REFS			
February 1973		4 9	27			
88. CONTRACT OR GRANT NO. 100014-67-2-0232-0023	94. ORIGINAT	OR'S REPORT NUM	BER(S)			
b. PROJECT NO. ME-RT-		72008				
c.	9b. OTHER RE	PORT NO'S) (Any D	ther numbers that may be assigned			
	time report)					
d.	I					
II. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY Office of Naval Research					
	011100	OI HEVEL	vehear Cit			
13 APS*PAC1		· · · · · · · · · · · · · · · · · · ·				
Investigations over an eism of composite solid propel processes are summarized. Exvolving diagnostic Leasurement and characterizations of the ents (polymers and ammonium perforts at modeling the overafrom the work reported are ci	lant deflagra perimental st ts on analog linear pyroly erchlorate) a ll mechanism.	tion and i udies and burners (o sis of pro re include	ts component techniques in- f several types) pellant ingredi- d along with			
DD FORM 1473		UNCLASS	TPTED			

Security Classification

UNCLASSIFIED Security Classification

	KEY WORDS	LINE	LINK A		" LINK B		LINKC	
	ACT HOROS	ROLE	WT	ROLE	WT	ROLE	WT	
				,				
mmonium Pero	hlorate							
mmonium reid	ILOLACE		•					
urning Rate eflagration	er attantant			l				
eflagration	Mechanism			{	•			
olymers								
ropellant In	gradients			} ' [
olymers ropellant In yrolysis solid Propell								
olid Propell	ant	i						
				i i				
						i !		
				1				
•								
	4							
						i		
				1				
			İ					
					İ			
		π						
				SIFIE				

Security Classification

This document represents the Final Report under Contract No. N00014-67-A-0202-0023 (Previously Nonr 263(48)), "Experimental Study of the Composite Solid Propellant Deflagration Process on a Fundamental Level", 1 October 1961 to 15 November 1972.

Certain activities initiated under this contract will be completed and reported upon under Contract No. N00014-67-A-0202-0035, 15 November 1972 to 15 September 1973.

SUMMARY

During the contract period experimental techniques were developed that permitted determination, for the first time under well controlled conditions, of the high-temperature surface decomposition/vaporization characteristics of both ammonium perchlorate (the propellant oxidant) and polymers (the propellant "fuel-binder"). Further, laboratory burners were developed that exhibited important deflagration characteristics identical to those of propellants, but with a much broader control of deflagration-rate-sensitive parameters (e.g., mixture ratio) than can be achieved with actual propellants. These were used in studies of the propellant flame structure and to illuminate the important mechanisms in the deflagration process. Finally, the new information was incorporated in an improved version of an established model of the deflagration process. It has resulted in better correlation of propellant deflagration characteristics (e.g., the dependence of burning rate on oxidant particle size, combustion pressure level, propellant mixture ratio and initial temperature) than previously possible.

DISSEMINATION OF INFORMATION

Information produced during the contract has been disseminated by means of publication in books, archive journals, technical reports and verbal presentation at symposia and technical meetings. The references cited include the total list of publications.

During burning, the flame heats the propellant surface causing decomposition-vaporization of the ingredients. These vaporize to feed the flame, which in turn heats the surface, etc. At the outset of the program no reliable information existed concerning the behavior of propellant ingredients at the conditions existing of the burning propellant surface--e.g., fluxes approaching a hundred cal/cm²/s produce surface temperatures of several hundred °C, subsurface temperature gradients approaching a thousand °C/mm, surface regression rates approaching a mm/s, and result in the subsurface material being heated to surface conditions at several hundred °C/s. Thus, there was no reliable way to formulate the pivotal boundary conditions for the solution of the gas-phase flame equations.

New techniques had to be developed to obtain the information, as the classical laboratory apparatus for thermal decomposition studies, e.g. thermal gravimetric analyzers differential thermal analyzers, etc., produce conditions so far removed from those existing at the burning propellant surface to make extrapolation a futile exercise.

They were primarily combustive self-heating for the polymeric materials (Refs. 16-18,21,23-27), intense convective heating for both the ammonium perchlorate (Refs. 19-22), and the polymeric materials (Refs. 13-15). Surface temperatures were obtained both by an infrared spectroradiometric technique and an embedded thermocouple technique (which also yielded subsurface temperature gradients). In this way, the energetics and chemical kinetics of the surface degradation-vaporization of a variety of propellant ingredients were obtained. These were incorporated in formulation of appropriate boundary conditions for solution of the flame equations.

The role of catalysts is being studied under Contract N0014-67-A-0202-0035.

DEFLAGRATION-MECHANISM INVESTIGATION

Intrinsic structural limitations of actual ammonium perchlorate composite propellants preclude experimental variation of deflagration-rate-sensitive parameters, such as mixture ratio, over a sufficiently broad range to permit meaningful mechanistic investigations. To overcome these and other limitations, laboratory burners were developed that had important deflagration characteristics which proved to be almost identical to certain of those of actual propellants. Thus it was possible to make experiments with the laboratory "analogs" that yielded results which served to illuminate important aspects of the propellant flame zone and deflagration mechanism of the actual propellants (Refs. 1-11). This approach was heavily exploited during the contract.

THEORETICAL MODELING OF THE DEFLAGRATION MECHANISM

Information developed by the analog techniques, concerning mechanism, coupled with properly formulated boundary conditions when integrated with an established model led to an improved model of the ammonium perchlorate deflagration process. It has resulted in better correlation of deflagration characteristics (e.g., the dependence of burning rate on oxidant particle size, combustion pressure level, propellant mixture ratio and initial temperature) than previously possible. The basic work on the model has been presented (Ref. 12). Additional testing is being continued under Contract N00014-67-A-0202-0035.

REFERENCES

- 1. McAlevy, R.F., III and Lee, S.Y., "A Porous Plug Burner Technique for the Study of Composite Solid Propellant Deflagration on a Fundamental Level and Its Application to Hybrid Rocket Propulsion", AIAA Progress in Astronautics and Aeronautics: Hetrogeneous Combustion (Vol. 15), Academic Press, N.Y., 1964. Also presented at AIAA Heterogeneous Combustion Conference, Palm Beach, Dec. 11-13, 1963, (AIAA Paper no. 63-496). Also Technical Report ME-RT-65002 to O.N.R. (January 1965).
- 2. Kiczek, C.R., Evaluation of a Porous Plug Oxidizer Burner as an Experimental Analogue of the Composite Solid Propellant Deflagration Process at Elevated Pressures, M.E. Thesis, Dept. of Mech. Engrg., Stevens Inst. of Tech., June 1965.
- 3. DeTingo, V.R., An Experimental Investigation of Ammonium Perchlorate Deflagration Utilizing the Porous Plug Burner Technique at Elevated Pressures, M.E. Thesis, Dept. of Mech. Engrg., Stevens Inst. of Tech., Hoboken, N.J., June 1965. Also Technical Report ME-RT-65007 to O.N.R. (Oct. 1965).
- 4. McAlevy, R.F., III, Lee, S.Y., DeTingo, V.R. and Lastrina, F.A., "Fundamental Studies of Composite Solid Propellant Deflagration by Experimental Analog Techniques", presented at the 1966 Spring Meeting, Western State Section, the Combustion Institute, Denver, Colorado, April 25-27, 1966 (WSCI Paper 66-25).
- 5. McAlevy, R.F., III, Lee, S.Y., Lastrina, F.A., and Samurin, N.A., "Further Studies of Ammonium Perchlorate Composite Propellant Deflagration by means of Burner Analog Techniques", presented at 5th Aerospace Sciences Meeting, New York, January 23-26, 1967 (AIAA Paper No. 67-101).
- 6. Samurin, N.A., An Experimental Investigation of the Limitations of Some Analog Techniques in Representing Composite Solid Propellant Deflagration Characteristics, M.E. Thesis, Dept. of Mech. Eng., Stevens Inst. of Tech., June 1967.
- 7. McAlevy, R.F., III, Lee, S.Y., Wilson, R.P., Jr., "The Combustion of Porous Aluminum Plugs With Oxygen Throughout", Pyrodynamics, Vol. 5, No. 1, Jan. 1967, pp. 17-27. Also presented at 1966 Spring Meeting, Western States Section, The Combustion Institute, Denver, Colo., April 1966 (WSCI Paper No. 66-7). Also Technical Report ME-RT-67007 to O.N.R. (July 1967).

- 8. McAlevy, R.F., III, Cole, R.B., Samurin, N.A., Battista, R., "Composite Solid Propellant and Loose-Granule Burner Deflagration Characteristics: Comparison Via the Summerfield Equation for the Ammonium Perchlorate System; Behavior of Mixed Oxidant Systems", presented at 3rd ICRPG/AIAA Solid Propulsion Conference, Atlantic City, June 5, 1968.
- 9. McAlevy, R.F., III, Battista, R.A., and Havel, J.V., "Experimental Studies Bearing on Mechanistic Modeling of Composite Solid Propellant Combustion", WS/CI 69-16, presented at the 1969 Spring Meeting, Western States Section/The Combustion Institute, China Lake, Calif., April 1969. Also Technical Report ME-RT-69006 (June 1969) to O.N.R.
- McAlevy, R.F., III, Lee, S.Y., Cole, R.B., Lastrina, F.A., Samurin, N.A., "Investigation of the Ammonium Perchlorate Composite Solid Propellant Deflagration Mechanism by Means of Experimental Analog Techniques", AIAA Journal, Vol. 6, No. 7, July 1968, pp. 1243-1251. Also Technical Report ME-RT-67006 to O.N.R. (Sept. 1967).
- 11. Battista, R.A., "Further Studies of the Ammonium Perchlorate-Based Composite Solid Propellant Deflagration Mechanism by means of an Experimental Analog Technique", M.E. Thesis, Department of Mechanical Engineering, Stevens Institute of Technology, 1969.
- 12. Ebenezer, J., Cole, R.B., and McAlevy, R.F., III, "Mixture Ratio as a "New" Parameter in Propellant Deflagration-Mechanism Modeling", CPIA Publ. 220: 8th JANNAF Combustion Meeting, Vol. I, Chemical Propulsion Information Agency, Silver Spring, Md., November 1971, pp. 473-488.
- 13. McAlevy, R.F., III, and Hansel, J.G., "Linear Pyrolysis of Thermoplastic in Chemically Reactive Environments", AIAA Journal, Vol. 3, No. 2, February 1965, pp. 244-249. Also, Technical Report ME-RT-65004 to O.N.R. (April 1965).
- 14. Hansel, J.G. and McAlevy, R.F., III, "Energetics and Chemical Kinetics of Polystyrene Surface Degradation in Inert and Chemically Reactive Environments", AIAA Journal, Vol. 4, No. 5, May 1966, pp. 841-848. Also, Technical Report ME-RT-65006 to O.N.R. (July 1965).
- 15. Hansel, J.G. and Lee, S.Y., "Technique for Measuring the Emittance of Polymers at Elevated Temperatures", Applied Spectroscopy, Vol. 21, No. 4, July/August 1967, p. 261.
- 16. McAlevy, R.F., III, Lee, S.Y. and Smith, W.H., "The Linear Pyrolysis of Polymethylmethacrylate", WS/CI 66-24, presented at the 1966 Spring Meeting, Western States' Section/The Combustion Institute, Denver, Colorado, April 1966. Also, Technical Report ME-RT-66006 to O.N.R. (July 1966).
- 17. McAlevy, R.F., III, Lee, S.Y., Smith, W.H., "Linear Pyrolysis of Polymethylmethacrylate during Combustion", AIAA Journal, Vol. 6, No. 6, June 1968, pp. 1137-1142.

- 18. McAlevy, R.F., III, Havel, J., Ebenezer, J., "Composite Solid Propellant Ingredient Decomposition by Surface Heating Techniques", presented at 3rd ICRPG/AIAA Solid Propulsion Conference, Atlantic City, June 5, 1968.
- 19. McAlevy, R.F., III, and Cole, R.B., "Ammonium Perchlorate Decomposition by Convective Surface Heating", WS/CI 69-23, presented at the 1969 Spring Meeting, Western States' Section/The Combustion Institute, China Lake, Calif., April 1969.
- 20. McAlevy, R.F., III, and Cole, R.B., "Ammonium Perchlorate Linear Pyrolysis by Convective Surface Heating", presented at AIAA 5th Joint Specialist Conferene, Colorado Springs, Colo., June 1969 (Aian Paper No. 69-501). Also, Technical Report ME-RT-69005 to O.N.R. (June 1969).
- 21. McAlevy, R.F., III, Cole, R.B., Battista, R.A., Havel, J.V., "Linear Pyrolysis and Deflagration of Composite Solid Propellant Ingredients" presented at S. Ath ICRPG Combustion Conference, Pasadena, California, October 1969.
- 22. Cole, R.B. and McAlevy, R.F., III, "The Linear Pyrolysis of Ammonium Perchlorate by Convective Heating", Tech. Report ME-RT-71005, Dept. of Mech. Eng., Stevens Institute of Tech., June 1971.
- 23. McAlevy, R.F., III and Blazowski, W.S., "The Surface Pyrolysis Boundary Condition for the Combustion of Polymers", The Mechanisms of Pyrolysis, Oxidation, and Burning of Organic Materials, Nat. Bur. of Stds. Spec. Publ. 357, U.S. Gov't. Printing Office, June 1972, pp. 185-192.
- 24. McAlevy, R.F., III and Blazowski, W.S., "An Experimental Technique for Determination of the Fundamental Combustion Characteristics of Polymers", Proc. 161st Am. Chem. Soc. Meeting, Vol. 31, No. 1, (Div. of Organic Coatings and Plastics Chemistry) March/April 1971, pp. 113-123.
- 25. Blazowski, W.S., Cole, R.B., and McAlevy, R.F., III, "An Investigation of the Combustion Characteristics of Some Polymers Using the Diffusion-Flame Technique", Tech. Report ME-RT-71004, Dept. of Mech. Eng., Stevens Institute of Technology, June 1971.
- 26. Blazowski, W.S., Cole, R.B., and McAlevy, R.F., III, "Effective Heats of Gasification of Polymers Under Combustion Conditions", presented at AIAA 10th Aerospace Sciences Meeting, San Diego, Calif., January 1972 (AIAA paper 72-34).
- 27. Blazowski, W.S., Cole, R.B., and McAlevy, R.F., III, "The Linear Pyrolysis of Various Polymers Under Combustion Conditions", presented at the 14th International Combustion Symposium of The Combustion Institute, August 1972. (to be published, 1973).